

Standardization training program E-60 discipline: Control

Control Engineering Handbook ECSS-E-HB-60A

European Space Agency

COPYRIGHT NOTICE:

By using the ECSS Training material, developed by ESA, you agree to the following conditions:

1. The training shall take place at your premises and shall be addressed to your staff (internal participants);

2. In case of a training to be given to external participants, the prior ESA written authorisation shall be requested;

3. The ESA Copyright shall always be mentioned on all Training Material used for the purpose of the training and participants shall acknowledge the ESA ownership on such a Copyright;

4. The Training material shall not be used to generate any revenues (i.e. the training and Training Material shall be "free of charge" excl. any expenses for the training organisation);


5. Only non-editable PDF files of the Training Material can be distributed to the participants (nor power point presentations);

6. Any deficiency identified in the Training Material shall be reported to the ECSS secretariat;

7. If the Training Material is modified or translated, the ESA Copyright on such edited Training Material shall be clearly mentioned. A copy of the edited Training Material shall be delivered to ESA for information.

8. You shall always hold harmless, indemnify and keep ESA indemnified against any and all costs, damages and expenses incurred by ESA or for which ESA may become liable, with respect to any claim by third parties related to the use of the Training Material.

Standardization training program E60 discipline: Control




European Space Agency

Introduction

- This handbook has been adapted from the first document elaborated by the very first Working Group of the E60 branch
 - The initial document was originally published as the Control Engineering Standard ECSS-E-60A in September 2004
 - ECSS Task Force 2 did not recognize it as a standard since it was addressing the control engineering process rather than requirements and decided to replace it with a handbook
- This Control Engineering Handbook was published in Dec 2010
 - This high level document is quite generic since it addresses all systems involving any kind of control (including e.g. thermal control, but not "ground control")
 - It focuses on the specific issues involved in control engineering and is intended to be used as a structured set of systematic engineering provisions
 - Specialised requirements for attitude control and associated equipment will be found in lower level documents such as the Satellite AOCS Requirements Standard or Star Tracker Standard


Table of contents



Quick insight

- Chapter 2 contains the normative references
 - High level ECSS documents: Glossary of Terms, Space Engineering Requirements and Process, Space Project Management
- Chapter 3 provides definitions of control-related terms
 - e.g. actuator, autonomy, control, controllability, estimated state, estimator, guidance, robustness, sensor, simulation model, stability, state, etc.
- Chapter 4 describes the space system control engineering process
 - main engineering activities defined and characterized by the following:
 - inputs, tasks to be performed, outputs (including documents), milestones and relationship to the project phases
- Chapter 5 contains recommendations for the engineering activities
 - a checklist of recommendations for tasks to be performed and the associated expected outputs

Introduction General Control Structure



4.1.2 Control Engineering Activities

- From the general control structure introduced previously, control engineering includes, as a minimum:
 - analysis of the mission objectives in order to define the control objectives;
 - analysis and modelling of the controlled plant and its interaction with the environment;
 - analysis, modelling and specification of sensors and actuators (configuration and characteristics) w.r.t. the control requirements;
 - requirements analysis and specification, design and configuration of the controller;
 - verification of the control performance;
 - control system related ground operations.
- Consequently control engineering
 - is multidisciplinary
 - cannot be performed without significant insight into at least mechanics, dynamics, the space environment and its effects, digital and analogue electronics, control theory, computer systems and networks, software engineering, and operations;
 - has a strong system aspect
 - significant level of interaction with the system engineering process specified in ECSS-E-ST-10.

4.2 Definition of the Control Engineering Process

Standardization training program E60 discipline: Control

- As part of the system engineering process defined in ECSS-E-ST-10, it can similarly be decomposed into the same engineering activities:
 - Integration and Control
 - integration of the various control related disciplines throughout all project phases towards the total definition and realization of the controlled system (management, planning, database, interface control, risk control, change and non conformance control,...)

Requirements Engineering

 proper interpretation of the mission and system requirements, coherent and appropriate derivation of control requirements, definition of lower component or equipment level requirements and continuous supervision of their status and traceability

Analysis

 performed at all levels and in all domains for the purpose of resolving control related functional and performance requirements, evaluating control design alternatives, consolidating and verifying control performances and complementing tests

- Design and Configuration

- derivation of a physical control architecture and the controller design capable of meeting the control requirements (supported by proper analyses and trade-offs)
- derivation of all the control budgets with appropriate budget methodology and margin policy

Verification and Validation


 demonstrates, through a dedicated process, that the controlled system meets its control objectives and requirements

4.2 Interaction between Control Engineering activities

Standardization training program E60 discipline: Control

At various phases of the system development, the control engineering activities are conducted in parallel to support one another in the proper development of the control system and of its components.

Interface to system engineering,



- Iterative between system engineering and lower assembly or equipment level engineering
- Progressive from preliminary design to verification and inflight validation.

4.3 Control Engineering Tasks Integration and Control

	Integration and control	Main deliverables
- -	Organization and planning of control engineering activities Contribution to system engineering database Management of interfaces, with other	Phase 0/A: inputs to - System Engineering Plan - cost and schedule estimates - Technology Plan
-	 disciplines, e.g. mechanical engineering and software engineering activities, e.g. procurement and quality assurance Contribution to human factors engineering when humans in the loop Definition of budget and margin philosophy for control 	Phase B: inputs to - System Engineering Plan - cost and schedule estimates
-	Assessment of control technology and cost effectiveness Risk management	Phase C/D: inputs to - system database - operations handbook
-	Engineering support to control components procurement Support to change management involving control Control engineering capability assessment and resource management	 cost estimates for Phase E/F Phase E/F: updates to disposal plan
	control engineering capability assessment and resource management	

4.3 Control Engineering Tasks Requirements Engineering

Requirements engineering	Main deliverables
- Generation of control requirements from system and	Phase 0/A : inputs to
requirements	- Project Requirements Documentation
- Contribution to system requirements to meet contro requirements	Phase B: inputs to
	- System and S/S technical specifications
 Allocation of control requirements to sub-assemblies equipment 	- lower level technical specifications
 sensors, actuators and controller H/W 	- Interface Control Documents
- Definition of control S/W requirements	Phase C/D: updated inputs to
Definition of control interface requirements between	- System and S/S technical specifications
 Definition of control interface requirements betweer components 	- lower level technical specifications
- Definition of control operations requirements	- Interface Control Documents
	Phase E/F: inputs to
Definition of control verification requirements	- new control related operational
	requirements

4.3 Control Engineering Tasks Analysis

Analysis	Main deliverables
 Selection of adequate analysis tools and methodologies Requirements evaluation and budgets breakdown Disturbances evaluation Numerical trade studies to support the definition of the control architecture with respect to requirements considering programme imposed constraints such as cost, schedule and risk Numerical analysis to support the control design Performance verification analysis including simulation Numerical analysis to support inflight evaluation 	Phase 0/A: - Control system analyses Phase B: - Controlled system analysis report (including simulation models description) Phase C/D: - Controlled system analysis report - Strategies for the inflight calibration and performance analysis Phase E/F: - Inputs to controlled system operational performance report - Inputs to payload data evaluation

4.3 Control Engineering Tasks Design and Configuration

	Design and configuration	Main deliverables
_	Definition of functional control architecture	Phase 0/A:
	 including functional interfaces 	- Preliminary control system design and
-	 Definition of operational control architecture o including modes 	analysis report
		Phase B:
-	Definition of physical control architecture	- Control system design report (incl. design
	 including H/W, S/W and human operation 	justification) (DDF, DJD)
-	Design of control concepts and algorithms	- Preliminary control algorithms specification
-	Control design tradeoffs	- Preliminary control system budgets
-	Generation of control budgets	Phase C/D:
		- Final control system design report (DDF, DJD)
-	Contribution to selection and procurement of control	- Final control algorithms specification
	components	- Final control system budgets
	Contribution to system configuration management	Phase E/F:
		- Controller design updates

4.3 Control Engineering Tasks Verification and validation

Standardization training program E60 discipline: Control

	Verification and validation	Main deliverables
-	 Definition of control verification and validation strategy o including specification of requirements for test environments 	Phase 0/A: inputs todevelopment and verification planning
-	Definition of control verification and validation strategy Preliminary verification of performance	Phase B:
	 by analysis or prototyping 	- Controlled system verification plan
-	 Final functional and performance verification by analysis 	 Preliminary controlled system verification report
-	 Final verification and validation of controlled system H/W, S/W and human operation by hardwareintheloop tests 	Phase C/D: - Controlled system verification report
-	Inflight validation of controlled system behaviour	- Inputs to inflight verification plan
		Phase E/F: inputs to
		- inflight acceptance report
		- periodic mission reports

Standardization training programme | 18/05/2015 | E60 Control | Slide 15

5.1 Control Engineering Process Recommendations Integration and Control

- Contribution to system engineering data base and documentation
 - Control engineering provides inputs to the system engineering database concerning controller data, and control related sensor and actuator parameters (e.g. flight dynamics database).
 - Control engineering provides a consistent set of control related documentation for the complete development process which is in line with the general system documentation.
- Budget and margin philosophy for control
 - For control related budgets with several contributors, summation rules are defined and used consistently throughout the design process. A margin policy is established and applied. Budget methodology and margin philosophy can evolve during the development according to the level of maturity of the control system.
- Support to change management involving control
 - Control engineering:
 - supports the management of nonconformances related to control.
 - handles changes related to controller design and implementation.
 - reviews changes in control related disciplines.

5.2 Control Engineering Process Recommendations Requirements Engineering Control

5.2.2 Generation of control requirements

• Control requirements

- derived from the directly applicable system requirements
 - taking into account constraints imposed by other system requirements
 - e.g. electrical power, mechanical configuration, thermal conditions and operations
- allocated to lower level requirements for the control components
 - controller, sensors and actuators
 - iterative allocation process, supported by analyses and tests

Control requirements engineering

- maintains traceability and justification of the control requirements
 - in line with the system requirements engineering process
- considers system FDPP requirements and failure management definitions
- supports system requirements engineering

conflicts between requirements and environmental factors or design constraints

Control engineering

- defines and justifies any control requirement generating a specific system constraint
 - through an appropriate document (e.g. DJF)
 - e.g. minimum allowable thruster tilt for plume effect limitation, sensors/actuators implementation w.r.t. FOV, alignment, mechanical stiffness, eigen-frequencies

5.3 Control Engineering Process Recommendations E60 discipline: **Analysis Methods and Tools** Control

Standardization

Control engineering activity	Analysis tasks	Usual methods and tools
Requirements engineering	 requirement analysis requirements feasibility assessment disturbance quantification error source identification and relevant numerical figures allocation to budgets 	 analytical relationships and models spreadsheet analysis tools control CAE tools control, environment, sensors, actuators and plant models
Design	 numerical trade studies in support of control architecture definition numerical analysis to support control design disturbance effects detailed analysis stability robustness sensitivity to additional or parametric disturbances performance against applicable requirements control budget numerical figures consolidation 	 analytical relationships and models spreadsheet analysis tools 3D CAD system model control CAE tools closed-loop simulation (including detailed control, environment, sensors, actuators and plant models) simulation data analysis tools (e.g. statistical methods) time-frequency domain methods linear and non-linear methods
Verification	 performance analysis test data analysis resulting from H/W-, S/W- and human-in-the-loop tests inflight data analysis support to payload data evaluation 	 closed-loop simulation (including detailed control, environment, sensors, actuators and plant models) test data evaluation tools (e.g. statistical methods) telemetry data processing tools control CAE tools

5.4 Control Engineering Process Recommendations Design and Configuration Control

5.4.3 Operational design

- The logical organization of the functions leads to a logical or operational architecture made up of a set of control modes and transitions between these modes
- Control engineering defines the operational control architecture, which consists of a set of control modes and transitions between modes covering all specified (nominal and non-nominal) conditions of operations of the control system
- The compositive of functions and allocations to a control mode is based on existing and common knowledge (experience) of optimum use of sensors, actuators, controllers and operational items
- The operational control architecture is usually presented in the form of diagrams showing control modes, transitions and data flows

5.5 Control Engineering Process Recommendation Verification and Validation Control

5.5.3 Final functional and performance verification

- Verification by analysis
 - The performance of the controlled system is demonstrated by closed-loop analysis based on the use of system representative simulation models. The verification covers all configurations of control modes, sensors and actuators, including backup configurations
 - Worst cases conditions are generally used w...t system dynamical and geometrical configurations, including FDIR aspects and the associated possibly degraded configurations
 - When relevant or possible, verification by analysis is supported by H/W testing
 - A typical example is to correlate a sensor mathematical model, including its parameters, with H/W tests results
- Verification with flight H/W and S/W
 - The control verification process includes, when relevant, functional validation in closed-loop tests with flight S/W and flight H/W models or flight representative models.
 - The real sensors are stimulated by the EGSE
 - The stimuli can be electrical (test connector) or physical (detector level)

Standardization training program E60 discipline: Control


BACK UP SLIDES

European Space Agency

Standardization training programme | 18/05/2015 | E60 Control | Slide 21

Summary of GNC/AOCS Functional Chain Verification Logic

Standardization training program E60 discipline: Control



Standardization training programme | 18/05/2015 | E60 Control | Slide 22

Avionics Functional Verification

- Due to the tight interconnection between GNC and AOCS subsystems and OBSW, a joint verification process is needed (at avionics level)
- Avionics verification includes:
 - GNC/AOCS Performance Verification campaign, to validate the GNC/AOCS requirements, to check the tuning the GNC/AOCS parameters, and verify closed-loop performance on the FVB
 - OBSW Verification campaign, which entails SW module-level testing, HW/SW models verification and calibration, and finally OBSW integration and final verification on the SVF
 - Functional Chain Verification campaign, which includes real HW and has system-level oriented objectives. It is performed on the SVF, on the ATB, and on PFM
 - AIT campaign, which includes verification of system interfaces and is performed on PFM

AOCS interfaces

